



AMBULANCE MERCEDES-BENZ SPRINTER





MERCEDES-BENZ SPRINTER

Mercedes-Benz J5L Ambulance is equipped with a glass fiber reinforced high roof. Work- and blue lights are integrated in the high roof, making the construction quiet, economical and easy to keep clean. Lights are designed to warn and illuminate the work environment effectively. Integrated light elements are maintained from inside and makes the roof weatherproof and easy to clean.

Our Mercedes-Benz Sprinter Ambulance is designed according to SFS-EN 1789 Class C requirements. The surface area of the ambulance interior is easy to keep clean because of the small seams. The inner roof with treatment light is completely flat reducing the risk of head injury. Ergonomics in the patient compartment is thoughtfully designed and equipped with properly placed support bars. There is a planned and safe location and fastening system for all patient care equipment. Cabinet position and size in the patient compartment is ergonomically designed. Important equipments are placed as close to the paramedic as possible. You can easily reach the patient and the equipment while sitting in the paramedic seat.

The easy-to-use J5L CES CAN-BUS electrical system automatically ensures the temperature according to the user's needs. Powerful heating and air conditioning systems are sufficient for demanding Nordic conditions. Interior lighting is mounted so that light is distributed evenly and effectively throughout the patient compartment. The electrical system can be remotely controlled for programming and upgrading. Depending on the condition and need for care, the lighting can easily be adjusted to suit the desired conditions. Powerful sound insulation minimizes road noise in the patient compartment.

TECHNICAL INFORMATION

Outer length	6200 mm
Outer width	2440 mm (mirror to mirror)
Outer width	2160 mm (mirrors folded)
Patient room height	1830 mm
Patient room lenght	3150 mm
Patient room width	1260 mm (spacing between wheel housings)
Patient room width	1810 mm (wall to wall)
Loading height	680 mm
Wheelbase	3665 mm
Rear opening width	1540 mm
Rear opening height	1550 mm
Sliding door width	1300 mm
Sliding door height	1655 mm
Drive modes	Rear and four-wheel drive
Transmission	Manual, Automatic





J5L-Production Oy
Puusepänkuja 1
71910 Alapitkä
FINLAND

www.j5l.fi

